

## Product Specification

### 1、Product Feature



### 2、Camera Parameters

Image Sensor	1/2.8" SONY sensor
Pixel	8.46M
Output Resolution	1.H.264(30fps)/MJ(25fps) 3840*2160;2560*1440;1920*1080;1280*720;1024*576;960*540;800*600;640*480;640*360;480*270;352*288;320*240; 2.YUV2(30fps)

# MAXHUB

	640*480;640*360;480*270;352*288;320*240;
Focus Method	Fixed
Focus Distance	1.5m
Field Of View	DFOV:118.6° HFOV:107° VFOV:70°
Aperture	1.8
Digital Noise Reduction	2D; 3D noise reduction
Output Format	MJPEG; H.264; YUY2
White Balance	Auto
Exposure	Auto
Backlight Compensation	Support

### 3、Microphone Parameters

Quantity	2
Pickup Distance	0~4m

### 4、I/O Port

USB Type-C(Device)	1
--------------------	---

### 5、Physical Specifications

Dimension L × H × D	117.9 × 51 × 55.7mm
Dimension (package) L × W × H	147 × 91 × 70.5mm
Net Weight	202.5g

# MAXHUB

Gross Weight	246.3g
--------------	--------

## 6、Accessories

USB Cable	× 1
-----------	-----

## 7、Environmental Conditions

Operation Temperature	0°C~40°C
Operation Humidity	10%~90%RH
Storage Temperature	-20°C~60°C
Storage Humidity	10%~90%
Altitude	Below 5000 meters

## 8、Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product.

The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product.

The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance.

Should the above-mentioned change in the document become necessary, the document may be updated without written notice.